

List of Tables for API Integration

Table	Magento	Blanco	QB
CV	x		
apinvoice			x
apinvoicedetail			x
appayment			x
apprepayment			
ardeposit			
arinvoice			x
arinvoicedetail			x
arinvoicedetailhis			x
arinvoicehis			x
arpayment			x
arpaymenthis			x
attribcat	x	x	
attribdef	x	x	
attribvalue	x	x	
Category	x		
Condition			
Contact	x		
Inventory	x	x	
Inventoryattrib	x	x	
inventorybulkallocation			
Inventoryhis	x	x	
inventoryhisbulkallocation			
Item	x		
Itemsubst	x		
pt	x		
Shipments	x		
shippayments			
shippingaccounts			
shippingitems	x		
shippingpackages	x		
st	x		
stdetail	x		

Table Name	CV
Group	CV

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
cvid	ID	✓	✓	✗	✗
cvcode	cvcode	✓	✓	✗	✗
cvname	cvname	✓	✓	✓	✓
isclientvendor	isclientvendor	✓	✗	✗	✗
isprospect	isprospect	✗	✗	✗	✗
rep	rep	✓	✓	✓	✓
cvglcodeid	cvglcodeid	✓	✓	✓	✗
aprating	aprating	✗	✗	✗	✗
arcreditlimit	arcreditlimit	✗	✗	✗	✗
arrating	arrating	✗	✗	✗	✗
comment	comments	✓	✓	✓	✓
creditinvoicenumbr	creditinvoicenumbr	✗	✗	✗	✗
creditlimit	creditlimit	✓	✓	✓	✓
cvtypeid	cvtypeid	✓	✗	✗	✗
federalid	taxregistration	✓	✓	✓	✓
fedtaxexemptno	taxexemptregistration	✓	✓	✓	✓
invoicedaylimit	outstandinginvoicelimit	✓	✓	✓	✓
is1099	is1099	✓	✓	✓	✓
isfreighttaxable	freight is taxable`	✓	✓	✓	✓
istaxable	taxable	✓	✓	✓	✓
pglmasterid	pglmasterid	✗	✗	✗	✗
pttermsid	purchase terms	✓	✓	✓	✓
purchase	purchase	✗	✗	✗	✗
recadded	recadded	✓	✗	✗	✗
sales	sales	✗	✗	✗	✗

securecv	securecv	✓	✓	✓	✓
sglmasterid	sglmasterid	✗	✗	✗	✗
shipper	shipper	✗	✗	✗	✗
sttermsid	sale terms	✓	✓	✓	✓
suspended	suspended	✗	✗	✗	✗
currencycode	def.currency	✓	✓	✓	✓
vendoraccount	vendoraccount	✗	✗	✗	✗
customeraccount	customeraccount	✗	✗	✗	✗
overridesystemshippers	overridesystemshippers	✗	✗	✗	✗
inactive	inactive	✓	✓	✓	✓
upsaccountchargeno	upsaccountchargeno	✗	✗	✗	✗
fedexaccountchargeno	fedexaccountchargeno	✗	✗	✗	✗
dhlaccountchargeno	dhlaccountchargeno	✗	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
userdefined1	userdefined1	✓	✓	✓	✓
userdefined2	userdefined2	✓	✓	✓	✓
userdefined3	userdefined3	✓	✓	✓	✓
userdefined4	userdefined4	✓	✓	✓	✓
userdefined5	userdefined5	✓	✓	✓	✓
logo	logo	✓	✗	✗	✗
logotmp	logotmp	✗	✗	✗	✗
importflag	importflag	✓	✗	✗	✗

|

Table Name	Category
Group	Category

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
categoryid	categoryid	✓	✓	✗	✗
category	category	✓	✓	✓	✓
description	description	✓	✓	✓	✓
level	level	✓	✓	✓	✓
parentid	parentid	✓	✗	✗	✗

Table Name	Contact
Group	Contact

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
contactid	contactid	✓	✓	✗	✗
cvcode	cvcode	✓	✓	✗	✗
companyname	Company	✓	✓	✓	✓
address1	address1	✓	✓	✓	✓
address2	address2	✓	✓	✓	✓
address3	address3	✓	✓	✓	✓
city	city	✓	✓	✓	✓
state	state	✓	✓	✓	✗
postalcode	postalcode	✓	✓	✓	✓
countryid	countryid	✓	✗	✗	✗
phone1	phone1	✓	✓	✓	✓
phone2	phone2	✓	✗	✗	✗
phone3	phone3	✗	✗	✗	✗
phone4	phone4	✗	✗	✗	✗
fax	fax	✓	✓	✓	✓
email	email	✓	✓	✓	✓
url	url	✓	✓	✓	✓
firstname	firstname	✓	✓	✓	✓
lastname	lastname	✓	✓	✓	✓
ismainremit	remit to	✓	✓	✓	✓
ismainshipto	ship to	✓	✓	✓	✓
ismainbillto	bill to	✓	✓	✓	✓
ismaincontact	contact	✓	✓	✓	✓
istaxable	tax	✓	✓	✓	✓

tax1auth	Local1	✓	✓	✓	✓
tax1pct	tax1pct	✓	✓	✗	✗
tax2auth	Local2	✓	✓	✓	✓
tax2pct	tax2pct	✓	✓	✓	✗
tax3auth	Local3	✓	✓	✓	✓
tax3pct	tax3pct	✓	✓	✗	✗
tax4auth	Local4	✓	✓	✓	✓
tax4pct	tax4pct	✓	✓	✗	✗
taxstate	tax	✓	✓	✓	✓
isfreighttaxable	freight is taxable	✓	✓	✓	✓
isinstalltaxable	install charges are taxable	✓	✓	✓	✓
ismisc taxable	misc.charges are taxable	✓	✓	✓	✓
id	id	✓	✗	✗	✗
source	source	✓	✗	✗	✗
email1	email1	✓	✓	✓	✓
email2	email2	✓	✓	✓	✓
email3	email3	✓	✓	✓	✓
email4	email4	✓	✓	✓	✓
email5	email5	✓	✓	✓	✓
phone5	phone5	✓	✓	✓	✓
pretitle	pretitle	✓	✓	✓	✓
subtitle	subtitle	✓	✓	✓	✓
gender	gender	✓	✓	✓	✓
contactnotes	Contactnotes	✓	✓	✓	✓
website1	website1	✓	✓	✓	✓
lastupdated	lastupdated	✓	✗	✗	✗
userdefined1	userdefined1	✓	✓	✓	✓
userdefined2	userdefined2	✓	✓	✓	✓

userdefined3	userdefined3	✓	✓	✓	✓
userdefined4	userdefined4	✓	✓	✓	✓
userdefined5	userdefined5	✓	✓	✓	✓

Table Name	Condition
Group	Condition

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
code	code	✓	✓	✗	✗
condition	condition	✓	✓	✓	✗
conditionid	conditionid	✓	✓	✗	✗
sort	sort	✓	✗	✗	✗
itempricefield	itempricefield	✓	✓	✓	✗
itemstatedprice	itemstatedprice	✓	✓	✓	✗
brokerbinitem	brokerbinitem	✗	✗	✗	✗

Table Name	Item
Group	Item

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
itemid	itemid	✓	✓	✗	✗
itemnumber	item	✓	✓	✗	✗
associated_itemid	associated_itemid	✓	✓	✗	✗
associated_itemnumber	manufacturer item	✓	✓	✗	✗
clei	clei	✓	✓	✗	✗
heci	heci	✓	✓	✗	✗
description	description	✓	✓	✓	✗
extendeddescription	ext.description	✓	✓	✓	✓
mfgr	mfgr	✓	✓	✗	✗
mfgrid	mfgrid	✓	✓	✗	✗
category	category	✓	✗	✗	✗
machinetype	machinetype	✗	✗	✗	✗
rep	rep	✓	✓	✓	✗
location1	primary location	✓	✓	✓	✓
location2	location2	✗	✗	✗	✗
warehouse	warehouse	✓	✓	✓	✓
istaxable	istaxable	✗	✗	✗	✗
listprice	listprice	✓	✓	✓	✓
saleprice1	saleprice1	✓	✓	✓	✗
saleprice2	saleprice2	✓	✓	✓	✗
saleprice3	saleprice3	✓	✓	✓	✗
saleprice4	saleprice4	✓	✓	✓	✗
saleprice5	saleprice5	✓	✓	✓	✗
saleprice6	saleprice6	✓	✓	✓	✗

saleprice7	saleprice7	✓	✓	✓	✗
saleprice8	saleprice8	✓	✓	✓	✗
statedprice1	statedprice1	✓	✓	✓	✗
statedprice2	statedprice2	✓	✓	✓	✗
statedprice3	statedprice3	✓	✓	✓	✗
statedprice4	statedprice4	✓	✓	✓	✗
statedprice5	statedprice5	✓	✓	✓	✗
statedprice6	statedprice6	✓	✓	✓	✗
statedprice7	statedprice7	✓	✓	✓	✗
statedprice8	statedprice8	✓	✓	✓	✗
sellqty	sellqty	✗	✗	✗	✗
sellunit	sellunit	✗	✗	✗	✗
buyqty	buyqty	✗	✗	✗	✗
buyunit	buyunit	✗	✗	✗	✗
minreorderqty	minreorderqty	✓	✓	✓	✓
reorderqtypt	reorder point	✓	✓	✓	✓
buildable	buildable	✗	✗	✗	✗
serialized	serialized	✗	✗	✗	✗
substid	substid	✗	✗	✗	✗
itemglcodeid	itemglcodeid	✗	✗	✗	✗
schedulebcode	schedulebcode	✓	✓	✓	✓
comments	comments	✓	✓	✓	✓
recadded	recadded	✓	✗	✓	✗
countrycode	countrycode	✗	✗	✗	✗
pkglength	pkglength	✗	✗	✗	✗
pkgwidth	pkgwidth	✗	✗	✗	✗
pkgheight	pkgheight	✗	✗	✗	✗
pkgunitmeas	pkgunitmeas	✗	✗	✗	✗

pkgweight	pkgweight	×	×	×	×
item_swap	item_swap	✓	✓	×	×
associateditem_swap	associateditem_swap	✓	✓	×	×
inactive	inactive	×	×	×	×
image	image	×	×	×	×
size	size	✓	✓	×	×
weight	weight	✓	✓	×	×
bulk	bulk	✓	✓	×	×
lastupdatedby	lastupdatedby	✓	×	×	×
lastupdated	lastupdated	✓	×	×	×
Category2	Category2	✓	✓	✓	✓
Category3	Category3	✓	✓	✓	✓
Category4	Category4	✓	✓	✓	✓
Userdefined1	Userdefined1	✓	✓	✓	✓
Userdefined2	Userdefined2	✓	✓	✓	✓
Userdefined3	Userdefined3	✓	✓	✓	✓
Userdefined4	Userdefined4	✓	✓	✓	✓
Userdefined5	Userdefined5	✓	✓	✓	✓
ImageURL	ImageURL	✓	✓	✓	✓
innerextendeddescription	innerextendeddescription	✓	✓	✓	✓

Table Name	Itemsubst
Group	Itemsubst

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
itemsubstid	itemsubstid	✓	✓	✗	✗
itemid	itemid	✓	✓	✗	✗
itemidsubst	Max.Avail	✓	✓	✗	✗
oneway	Oneway	✓	✓	✓	✗
primary	primary	✓	✓	✗	✗

Table Name	pt
Group	pt

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
amount	Unitcost	✓	✓	✗	✗
approvedby	approvedby	✗	✗	✗	✗
breakdown	breakdown	✗	✗	✗	✗
conditioncode	condition	✓	✓	✗	✗
conditionid	conditionid	✗	✗	✗	✗
contactcontact	contact	✓	✓	✓	✓
contactcontactid	contactcontactid	✓	✗	✗	✗
contactfax	contactfax	✓	✓	✓	✓
contactphone	phone	✓	✓	✓	✓
contractbyus	contractbyus	✓	✓	✓	✓
contractcomment	Comments to vendor	✓	✓	✓	✓
contractsentby	contractsentby	✓	✓	✓	✓
conversionrate	rate	✓	✓	✓	✗
currencycode	currency	✓	✓	✓	✓
cvcode	Vendor	✓	✓	✓	✗
cvfreightid	cvfreightid	✗	✗	✗	✗
dateaccepted	Acceptance date	✓	✓	✓	✗
dateapproved	Added	✗	✗	✗	✗
dateclosed	Closing date	✓	✓	✓	✗
dateexpected	Expected date	✓	✓	✓	✗
deliverydate	Ship date	✓	✓	✗	✗
downpayment	down payment	✓	✓	✓	✓
equipmentcost	Extendedcost	✓	✓	✗	✗
exrate	exrate	✗	✗	✗	✗

foreignamount	foreignamount	✓	✓	✗	✗
freight	freight	✓	✓	✓	✓
internalcomment	Internal comments	✓	✓	✓	✓
ispaid	ispaid	✗	✗	✗	✗
latecharge	LateDeliveryCharge	✓	✓	✓	✓
locatedatcontact	Contact	✓	✓	✓	✓
locatedatcontactid	locatedatcontactid	✓	✗	✗	✗
locatedatfax	Fax	✓	✓	✓	✓
locatedatphone	Phone	✓	✓	✓	✓
misccost	Extra Cost	✓	✓	✓	✓
nextapext	nextapext	✗	✗	✗	✗
nextline	nextline	✗	✗	✗	✗
pqid	Source PP	✓	✓	✗	✗
ptid	PO	✓	✓	✗	✗
purchasedate	Date	✓	✓	✓	✗
recadded	Added	✓	✓	✗	✗
receivestatus	Receive/Rec.St	✓	✓	✗	✗
rectype	C	✓	✓	✗	✗
referencenumber	Reference	✓	✓	✓	✓
rep	rep	✓	✓	✓	✓
scheduleshipdate	Scheduleshipdate	✗	✗	✗	✗
servicetype	servicetype	✗	✗	✗	✗
shippername	shippername	✗	✗	✗	✗
shippercomment	shippercomment	✗	✗	✗	✗
shiptocontact	Contact	✓	✓	✓	✓
Shiptocontactid	Shiptocontactid	✓	✗	✗	✗
Shiptofax	Fax	✓	✓	✓	✓
Shiptophone	Phone	✓	✓	✓	✓

Shipvia	Shipvia	×	×	×	×
Shipviaid	Shipviaid	×	×	×	×
Sonumber	Vendor SO	✓	✓	×	×
Status	Status	✓	✓	×	×
stid	Source SO	✓	✓	×	×
termsid	Terms	✓	✓	×	×
totalonly	Display totals only on reports	×	×	×	×
totalonly	Display totals only on reports	×	×	×	×
trackingnumber	trackingnumber	×	×	×	×
transaddressid	transaddressid	×	×	×	×
userdefined1	User Defined1	✓	✓	✓	✓
userdefined2	User Defined2	✓	✓	✓	✓
voidafter	voidafter	×	×	×	×
wearrangetransp	We arrange Transportation	✓	✓	✓	×
wepaytransp	We pay for Transportation	✓	✓	✓	×
woid	woid	×	×	×	×
basecurrency	basecurrency	✓	×	×	×
foreignequipmentcost	Extended Cost	✓	✓	×	×
foreignfreight	Freight	✓	✓	✓	✓
foreignmiscost	Extra Cost	✓	✓	✓	✓
isfreighttaxable	Freight is taxable	✓	✓	✓	✓
ismisc taxable	Misc.Charges are taxable	✓	✓	✓	✓
istaxable	Taxable	✓	✓	✓	✓
statetax	State tax	✓	✓	×	×
statetaxpct	Tax	✓	✓	✓	×
tax1	Local 1	✓	✓	✓	×
tax1auth	Local 1	✓	✓	✓	×
tax2	Local 2	✓	✓	✓	×

tax2auth	Local 2	✓	✓	✓	✗
tax3	Local 3	✓	✓	✓	✗
tax3auth	Local 3	✓	✓	✓	✗
tax4	Local 4	✓	✓	✓	✗
tax4auth	Local 4	✓	✓	✓	✗
taxablesales	Taxable Sales	✓	✓	✗	✗
taxstate	Tax	✓	✓	✓	✗
totaltax	Total tax	✓	✓	✗	✗
foreignstatetax	State tax	✓	✓	✗	✗
foreigntax1	Local 1	✓	✓	✗	✗
foreigntax2	Local 2	✓	✓	✗	✗
foreigntax3	Local 3	✓	✓	✗	✗
foreigntax4	Local 4	✓	✓	✗	✗
foreigntaxablesales	Taxable Sales	✓	✓	✗	✗
creditcardinfo	creditcardinfo	✓	✗	✗	✗
creditcardappliedamount	creditcardappliedamount	✗	✗	✗	✗
countrycode	countrycode	✓	✗	✗	✗
contactemail	Email	✓	✓	✓	✓
shiptoemail	Email	✓	✓	✓	✓
locatedatemail	Email	✓	✓	✓	✓
userdefined3	userdefined3	✓	✓	✓	✓
userdefined4	userdefined4	✓	✓	✓	✓
userdefined5	userdefined5	✓	✓	✓	✓
lastupdatedby	lastupdatedby	✓	✗	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
suppliermargin	Supplier Margin	✓	✓	✓	✓

Table Name	Inventory
Group	Inventory

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
inventoryid	inventoryid	✓	✓	✗	✗
ptid	PO	✓	✓	✗	✗
ptline	PO	✓	✓	✗	✗
itemid	itemid	✓	✓	✗	✗
itemnumber	Item	✓	✓	✗	✗
mfgr	Mfgr	✓	✓	✗	✗
mfgrid	mfgrid	✓	✓	✗	✗
qty	Qty.	✓	✓	✗	✗
unitcost	Unit Cost	✓	✓	✗	✗
foreignunitcost	foreignunitcost	✓	✓	✗	✗
originalunitcost	Original Unit Cost	✓	✓	✗	✗
description	Item Desc.	✓	✓	✗	✗
extendeddescription	Extended Description	✓	✓	✓	✓
conditioncode	Condition	✓	✓	✓	✓
location	Location	✓	✓	✓	✓
warehouse	Warehouse	✓	✓	✓	✓
machinetype	machinetype	✗	✗	✗	✗
rep	rep	✓	✓	✗	✗
serialnumber	Serial Number	✓	✓	✓	✓
comments	Inventory Comments	✓	✓	✓	✓
contractcomments	Extended Description	✓	✓	✓	✓
systemcomments	Inventory system comments contract comments	✓	✓	✗	✗
status	Status	✓	✓	✗	✗
receivestatus	Receive Status	✓	✓	✗	✗

stid	SO	✓	✓	✗	✗
stline	SO	✓	✓	✗	✗
istaxable	Taxable	✓	✓	✓	✗
tax1cat	Local 1	✓	✓	✗	✗
tax1pct	Local 1	✓	✓	✗	✗
tax2cat	Local 2	✓	✓	✗	✗
tax2pct	Local 2	✓	✓	✗	✗
tax3cat	Local 3	✓	✓	✗	✗
tax3pct	Local 3	✓	✓	✗	✗
tax4cat	Local 4	✓	✓	✗	✗
tax4pct	Local 4	✓	✓	✗	✗
dateallocated	Purchase Date	✓	✓	✗	✗
allocatedby	Rep	✓	✓	✗	✗
datereceived	Date Received	✓	✓	✗	✗
datebooked	datebooked/Date	✓	✓	✗	✗
dateunbooked	dateunbooked	✗	✗	✗	✗
unbookedby	unbookedby	✗	✗	✗	✗
recadded	Added	✓	✓	✗	✗
print	print	✗	✗	✗	✗
freightin	freightin	✗	✗	✗	✗
autoserial	autoserial	✗	✗	✗	✗
rectype	C	✓	✓	✗	✗
countrycode	Country	✓	✓	✗	✗
invoiced	Invoiced Count	✓	✓	✗	✗
breakdowninvoice	breakdowninvoice	✗	✗	✗	✗
brokendown	Brokendown	✓	✓	✗	✗
partremovalinvoice	partremovalinvoice	✓	✗	✗	✗
partsremoved	Parts Removed	✓	✓	✗	✗

builtupinventory	builtupinventory	✓	✗	✗	✗
builtup	Built Up	✓	✓	✗	✗
bulkitem	Bulk Item	✓	✓	✗	✗
scan_user	scan_user	✗	✗	✗	✗
last_audited	Last Audited	✓	✓	✗	✗
datawiped	datawiped	✗	✗	✗	✗
datewiped	datewiped	✗	✗	✗	✗
statedcost	statedcost	✗	✗	✗	✗
suggestedprice	Suggested Price	✓	✓	✓	✗
associated_itemid	associated_itemid	✓	✗	✗	✗
associated_itemnumber	Item	✓	✓	✗	✗
heci	HECI	✓	✓	✗	✗
clei	CLEI	✓	✓	✗	✗
partaddedid	partaddedid	✗	✗	✗	✗
partadded	Part Added	✓	✓	✗	✗
weight	Weight	✓	✓	✗	✗
pkglength	pkglength	✗	✗	✗	✗
pkgwidth	pkgwidth	✗	✗	✗	✗
pkgheight	pkgheight	✗	✗	✗	✗
pkgunitmeas	pkgunitmeas	✗	✗	✗	✗
wghtkgs	wghtkgs	✗	✗	✗	✗
costbulk	costbulk	✗	✗	✗	✗
foreigncostbulk	foreigncostbulk	✗	✗	✗	✗
costwghtkgs	costwghtkgs	✗	✗	✗	✗
pkgweight	pkgweight	✗	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
bulk	Bulk	✓	✓	✗	✗
avgunitcost	avgunitcost	✓	✓	✗	✗

avgfreightcost	avgfreightcost	×	×	×	×
avgcost	avgcost	✓	✓	×	×
allocatedqty	reservedqty	✓	✓	✓	×
suppliermargin	Supplier Margin	✓	✓	✓	×
innerextendeddescription	innerextendeddescription	✓	×	×	×

Table Name	Inventoryhis
Group	Inventoryhis

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
inventoryid	inventoryid	X	✓	X	X
ptid	PO	✓	✓	X	X
ptline	PO	✓	✓	X	X
itemid	itemid	X	✓	X	X
itemnumber	Item	✓	✓	X	X
mfgr	Mfgr	✓	✓	X	X
mfgrid	mfgrid	X	✓	X	X
qty	Qty.	✓	✓	X	X
unitcost	Unit Cost	✓	✓	X	X
foreignunitcost	foreignunitcost	✓	✓	X	X
originalunitcost	Original Unit Cost	✓	✓	X	X
description	Item Desc.	✓	✓	X	X
extendeddescription	Extended Description	✓	✓	X	X
conditioncode	Condition	✓	✓	X	X
location	Location	✓	✓	X	X
warehouse	Warehouse	✓	✓	X	X
machinetype	machinetype	X	X	X	X
rep	rep	✓	✓	X	X
serialnumber	Serial Number	✓	✓	X	X
comments	Inventory Comments	✓	✓	X	X
contractcomments	ContractComments	✓	✓	X	X
systemcomments	Inventory system comments contract comments	✓	✓	X	X
status	Status	✓	✓	X	X
receivestatus	Receive Status	✓	✓	X	X

stid	SO	✓	✓	✗	✗
stline	SO	✓	✓	✗	✗
istaxable	Taxable	✓	✓	✗	✗
tax1cat	Local 1	✓	✗	✗	✗
tax1pct	Local 1	✓	✗	✗	✗
tax2cat	Local 2	✓	✗	✗	✗
tax2pct	Local 2	✓	✗	✗	✗
tax3cat	Local 3	✓	✗	✗	✗
tax3pct	Local 3	✓	✗	✗	✗
tax4cat	Local 4	✓	✗	✗	✗
tax4pct	Local 4	✓	✗	✗	✗
dateallocated	Date reserved	✓	✓	✗	✗
allocatedby	Rep	✓	✓	✗	✗
datereceived	Date Received	✓	✓	✗	✗
datebooked	Invoice date	✓	✓	✗	✗
dateunbooked	Date returned	✓	✓	✗	✗
unbookedby	Rep	✓	✓	✗	✗
recadded	Added	✓	✓	✗	✗
print	print	✗	✗	✗	✗
freightin	freightin	✗	✗	✗	✗
autoserial	autoserial	✗	✗	✗	✗
rectype	C	✓	✓	✗	✗
countrycode	Country	✓	✓	✗	✗
invoiced	Invoiced Count	✓	✓	✗	✗
breakdowninvoice	breakdowninvoice	✓	✓	✗	✗
brokendown	Brokendown	✓	✓	✗	✗
partremovalinvoice	partremovalinvoice	✓	✓	✗	✗
partsremoved	Parts Removed	✓	✓	✗	✗

builtupinventory	builtupinventory	✓	✓	✗	✗
builtup	Built Up	✓	✓	✗	✗
bulkitem	Bulk Item	✓	✓	✗	✗
scan_user	scan_user	✗	✗	✗	✗
last_audited	Last Audited	✓	✗	✗	✗
datawiped	datawiped	✗	✗	✗	✗
datewiped	datewiped	✗	✗	✗	✗
statedcost	statedcost	✓	✓	✗	✗
suggestedprice	Suggested Price	✓	✓	✗	✗
associated_itemid	associated_itemid	✓	✓	✗	✗
associated_itemnumber	Item	✓	✓	✗	✗
heci	HECI	✓	✓	✗	✗
clei	CLEI	✓	✓	✗	✗
partaddedid	partaddedid	✓	✗	✗	✗
partadded	Part Added	✓	✓	✗	✗
weight	Weight	✗	✗	✗	✗
pkglength	pkglength	✗	✗	✗	✗
pkgwidth	pkgwidth	✗	✗	✗	✗
pkgheight	pkgheight	✗	✗	✗	✗
pkgunitmeas	pkgunitmeas	✗	✗	✗	✗
wghtkgs	wghtkgs	✗	✗	✗	✗
costbulk	costbulk	✗	✗	✗	✗
foreigncostbulk	foreigncostbulk	✗	✗	✗	✗
costwghtkgs	costwghtkgs	✗	✗	✗	✗
pkgweight	pkgweight	✗	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
bulk	Bulk	✓	✓	✗	✗
avgunitcost	avgunitcost	✓	✓	✗	✗

avgfreightcost	avgfreightcost	✓	✗	✗	✗
avgcost	avgcost	✓	✓	✗	✗
allocatedqty	reservedqty	✓	✓	✗	✗
suppliermargin	Supplier Margin	✓	✓	✗	✗
innerextendeddescription	innerextendeddescription	✗	✗	✗	✗

Table Name	Inventoryattrib
Group	Inventoryattrib

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
inventoryattribid	inventoryattribid	✓	✓	✗	✗
inventoryid	inventoryid	✓	✓	✗	✗
attribdefid	attribdefid	✓	✓	✗	✗
attribvalue	attribvalue	✓	✓	✗	✗
attribcatid	attribcatid	✓	✓	✗	✗
attribvalueid	attribvalueid	✓	✓	✗	✗
active	active	✓	✓	✗	✗

Table Name	apprepayment
Group	apprepayment

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
amount	Amount	✓	✓	✗	✗
apprepaymentid	apprepaymentid	✓	✓	✗	✗
glcashaccount	Ledger Cash Account	✓	✓	✗	✗
checkno	Check	✓	✓	✗	✗
cleared	cleared	✗	✗	✗	✗
cleareddate	cleareddate	✗	✗	✗	✗
conversionrate	conversionrate	✓	✗	✗	✗
currencycode	Currency	✓	✓	✗	✗
cvcode	Vendor	✓	✓	✗	✗
date	Date	✓	✓	✗	✗
dateadded	dateadded	✓	✗	✗	✗
datevoided	Voided	✓	✓	✗	✗
foreignamount	Pre-Paid	✓	✓	✗	✗
isposted	isposted	✓	✗	✗	✗
paymenttype	Type	✓	✓	✗	✗
posteddate	posteddate	✗	✗	✗	✗
ptid	PO	✓	✓	✗	✗
rectype	rectype	✓	✗	✗	✗
reference	Reference	✓	✓	✗	✗
rep	Rep	✓	✗	✗	✗
session	session	✓	✗	✗	✗
sessiondate	Session date	✓	✗	✗	✗
vendorinvoicenumbr	vendorinvoicenumbr	✗	✗	✗	✗
voidedsession	voidedsession	✗	✗	✗	✗

balance	balance	×	×	×	×
foreignbalance	foreignbalance	×	×	×	×
checkdate	Check date	✓	✓	×	×
lastupdated	lastupdated	✓	×	×	×
lastupdatedby	lastupdatedby	✓	×	×	×

Table Name	arinvoice
Group	arinvoice

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
arinvoiceid	Invoice	✓	✓	✗	✗
amount	Base Amount	✓	✓	✗	✗
foreignamount	Amount	✓	✓	✗	✗
cvcode	Client/Client Id	✗	✓	✗	✗
date	Date	✓	✓	✗	✗
rep	Rep	✓	✓	✗	✗
stid	SO	✓	✓	✗	✗
termsid	Terms	✓	✓	✗	✗
ponumber	Client Purchase Number	✓	✓	✓	✓
basecurrency	basecurrency	✓	✗	✗	✗
currencycode	Currency	✓	✓	✗	✗
conversionrate	Rate	✓	✓	✗	✗
earlyinvoice	Early Invoice	✓	✓	✗	✗
isposted	isposted	✗	✗	✗	✗
istaxable	Taxable	✓	✓	✗	✗
iscreditinvoice	iscreditinvoice	✓	✗	✗	✗
totalonly	totalonly	✗	✗	✗	✗
paidposted	Paid	✓	✓	✗	✗
paidnonposted	paidnonposted	✗	✗	✗	✗
foreignpaidposted	Paid	✓	✓	✗	✗
foreignpaidnonposted	foreignpaidnonposted	✗	✗	✗	✗
dateadded	dateadded	✓	✗	✗	✗
datevoided	Voided	✓	✓	✗	✗
duedate	Due Date	✓	✓	✓	✗

paidinfulldate	Paid In Full	✓	✓	✗	✗
commissiondate	Paid In Full	✓	✓	✗	✗
sessiondate	sessiondate	✓	✗	✗	✗
session	session	✓	✗	✗	✗
contactcontactid	contactcontactid	✓	✓	✗	✗
contactname	Contact	✓	✓	✗	✗
contactphone	Phone	✓	✓	✗	✗
contactfax	Fax	✓	✓	✗	✗
billtocontactid	billtocontactid	✓	✓	✗	✗
billtocontactname	Contact	✓	✓	✗	✗
billtocontactphone	Phone	✓	✓	✗	✗
billtocontactfax	Fax	✓	✓	✗	✗
shiptocontactid	shiptocontactid	✓	✓	✗	✗
shiptocontactname	Contact	✓	✓	✗	✗
shiptocontactphone	Phone	✓	✓	✗	✗
shiptocontactfax	Fax	✓	✓	✗	✗
internalcomment	Internal Comments	✓	✓	✓	✓
invoicecomment	Comments to Customer	✓	✓	✓	✓
taxstate	Tax	✓	✓	✗	✗
statetaxpct	Tax	✓	✓	✗	✗
statetax	Tax	✓	✓	✗	✗
foreignstatetax	Tax	✓	✓	✗	✗
tax	Tax	✓	✓	✗	✗
tax1auth	Local 1	✓	✓	✓	✗
tax1	Local 1	✓	✓	✓	✗
foreigntax1	Local 1	✓	✓	✓	✗
tax2auth	Local 2	✓	✓	✓	✗
tax2	Local 2	✓	✓	✓	✗

foreigntax2	Local 2	✓	✓	✓	✗
tax3auth	Local 3	✓	✓	✓	✗
tax3	Local 3	✓	✓	✓	✗
foreigntax3	Local 3	✓	✓	✓	✗
tax4auth	Local 4	✓	✓	✓	✗
tax4	Local 4	✓	✓	✓	✗
foreigntax4	Local 4	✓	✓	✓	✗
recadded	recadded	✓	✗	✗	✗
rectype	Type	✓	✓	✗	✗
commpif	commpif	✗	✗	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
contactemail	Email	✓	✓	✓	✓
shiptoemail	Email	✓	✓	✓	✓
billtoemail	Email	✓	✓	✓	✓

Table Name	apprepayment
Group	apprepayment

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
stdetailid	stdetailid	✓	✓	✗	✗
stid	SO	✓	✓	✗	✗
line	Line	✓	✓	✗	✗
itemid	itemid	✓	✓	✗	✗
status	Status	✓	✓	✗	✗
arinvoiceid	Invoice	✓	✓	✗	✗
servicetype	Service Type	✓	✓	✗	✗
shipmentid	shipmentid	✗	✓	✗	✗
warehouse	Warehouse	✓	✓	✓	✗
itemcvglcodeid	itemcvglcodeid	✗	✓	✗	✗
bookedby	Rep	✓	✓	✓	✗
bookeddate	Invoiced Date	✓	✓	✗	✗
commisioncost	commisioncost	✓	✓	✗	✗
conditioncode	Condition	✓	✓	✗	✗
contractcomments	contractcomments	✓	✓	✗	✗
createserialnumber	createserialnumber	✗	✗	✗	✗
description	Description	✓	✓	✗	✗
extendeddescription	Extended Description	✓	✓	✗	✗
estunicost	Unit Price	✓	✓	✗	✗
freightout	freightout	✗	✗	✗	✗
hasstatetax	hasstatetax	✗	✗	✗	✗
internalcomments	Internal Comments	✓	✓	✓	✗
istaxable	Taxable	✓	✓	✓	✗
location	Location	✓	✓	✓	✓

postsession	postsession	×	×	×	×
print	print	×	×	×	×
qty	Qty.	✓	✓	✓	×
recadded	Added	✓	✓	×	×
reference	Reference	✓	✓	×	×
sheduledshipdate	Scheduled Ship Date	✓	✓	×	×
shipstatus	Ship Status	✓	✓	×	×
shipdate	Ship/Sched date	✓	✓	×	×
shippername	Provider	✓	✓	×	×
tax1cat	Local 1	✓	✓	×	×
tax1pct	Local 1	✓	✓	×	×
tax2cat	Local 2	✓	✓	×	×
tax2pct	Local 2	✓	✓	×	×
tax3cat	Local 3	✓	✓	×	×
tax3pct	Local 3	✓	✓	×	×
tax4cat	Local 4	✓	✓	×	×
tax4pct	Local 4	✓	✓	×	×
unitprice	Unit Price	✓	✓	×	×
foreignunitprice	Unit Price	✓	✓	✓	✓
listprice	List Price	✓	✓	×	×
selectedinventoryid	selectedinventoryid	✓	✓	×	×
weight	weight	×	×	×	×
wghtkgs	wghtkgs	×	×	×	×
costbulk	costbulk	×	×	×	×
foreigncostbulk	foreigncostbulk	×	×	×	×
costwghtkgs	costwghtkgs	×	×	×	×
estforeignunitcost	Est.Cost	✓	✓	×	×
lastupdated	lastupdated	✓	×	×	×

lastupdatedby	lastupdatedby	✓	✗	✗	✗
commissionpercentag	CommisionCost	✓	✓	✗	✗

Table Name	st
Group	st

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
stid	SO	✓	✓	✗	✗
cvcode	Client ID	✓	✓	✗	✗
contactcontactid	contactcontactid	✓	✓	✗	✗
shiptocontactid	shiptocontactid	✓	✓	✗	✗
locatedatcontactid	locatedatcontactid	✓	✓	✗	✗
billtocontactid	billtocontactid	✓	✓	✗	✗
rep	Rep	✓	✓	✗	✗
status	Status	✓	✓	✗	✗
ptid	ptid	✓	✓	✗	✗
sqid	sqid	✓	✓	✗	✗
saledate	Sale date	✓	✓	✓	✗
assigned by	assigned by	✗	✗	✗	✗
amount	Total	✓	✓	✗	✗
billtofax	billtofax	✗	✗	✗	✗
billtoname	billtoname	✗	✗	✗	✗
billtophone	billtophone	✗	✗	✗	✗
extendedsourceid	extendedsourceid	✗	✗	✗	✗
bookedby	Rep	✓	✓	✗	✗
conditioncode	Condition	✓	✓	✗	✗
conditionid	conditionid	✗	✗	✗	✗
contactfax	Fax	✓	✓	✗	✗
contactname	Contact	✓	✓	✗	✗
contactphone	Phone	✓	✓	✗	✗
contract	Contract	✓	✓	✗	✗

contractcomment	Comments to Customer	✓	✓	✓	✓
conversionrate	Rate	✓	✗	✗	✗
currencycode	Currency	✓	✓	✗	✗
currencyid	currencyid	✗	✗	✗	✗
datebooked	datebooked	✓	✗	✗	✗
datevoided	datevoided	✗	✗	✗	✗
declaredvalue	Declared Value	✓	✓	✗	✗
deliverydate	deliverydate	✗	✗	✗	✗
depreciation	depreciation	✗	✗	✗	✗
downpayment	Down Payment	✓	✓	✗	✗
duedate	Due Date	✓	✓	✗	✗
estimatedcost	Est.Cost	✓	✓	✗	✗
exchangerate	exchangerate	✗	✗	✗	✗
firsttransaction	First Transaction	✓	✓	✗	✗
foreignamount	Foreign Amount	✓	✓	✗	✗
freight	Freight	✓	✓	✗	✗
freghttaxpct	freghttaxpct	✗	✗	✗	✗
installcharge	Installation	✓	✓	✗	✗
installchargetaxrate	installchargetaxrate	✗	✗	✗	✗
internalcomment	Internal Comments	✓	✓	✓	✓
isfreighttaxable	Freight is taxable	✓	✓	✓	✓
isinstalltaxable	Installation is taxable	✓	✓	✓	✓
ismisctaxable	Misc.Charges are taxable	✓	✓	✓	✓
istaxable	Taxable	✓	✓	✓	✓
latecharge	latecharge	✗	✗	✗	✗
locatedatfax	Fax	✓	✓	✓	✓
locatedatname	Contact	✓	✓	✓	✓
locatedatphone	Phone	✓	✓	✓	✓

misccharge	Misc.charge	✓	✓	✓	✓
miscchargetaxpct	miscchargetaxpct	✗	✗	✗	✗
newequipment	New equipment	✓	✓	✗	✗
ponumber	Client PO Number	✓	✓	✓	✓
postsession	postsession	✗	✗	✗	✗
previosmaintainedby	previosmaintainedby	✗	✗	✗	✗
recadded	Added	✓	✓	✗	✗
rectype	C	✓	✓	✗	✗
sendcontractby	sendcontractby	✗	✗	✗	✗
shipstatus	shipstatus	✓	✓	✗	✗
shiptofax	shiptofax	✓	✓	✓	✓
shiptoname	Contact	✓	✓	✓	✓
shiptophone	Phone	✓	✓	✓	✓
shipviaid	shipviaid	✗	✗	✗	✗
statetax	State Tax	✓	✓	✗	✗
statetaxpct	State Tax	✓	✓	✗	✗
tax1	Local 1	✓	✓	✗	✗
tax1auth	Local 1	✓	✓	✗	✗
tax2	Local 2	✓	✓	✗	✗
tax2auth	Local 2	✓	✓	✗	✗
tax3	Local 3	✓	✓	✗	✗
tax3autuh	Local 3	✓	✓	✗	✗
tax4	Local 4	✓	✓	✗	✗
tax4auth	Local 4	✓	✓	✗	✗
taxablesales	Taxable Sales	✓	✓	✗	✗
taxstate	State Tax	✓	✓	✗	✗
termsid	termsid	✓	✓	✗	✗
totalcost	totalcost	✗	✗	✗	✗

totalsales	Gross margin	✓	✓	✗	✗
totalonly	Display totlas only on Reports	✗	✗	✗	✗
totaltax	Total Tax	✓	✓	✗	✗
userdefined1	userdefined1	✗	✗	✗	✗
userdefined2	userdefined2	✗	✗	✗	✗
voidableafter	voidableafter	✗	✗	✗	✗
wearrangetranport	wearrangetranport	✗	✗	✗	✗
wepayinstallation	We pay installation	✓	✓	✗	✗
wepaytranport	We pay transportation	✓	✓	✗	✗
basecurrency	basecurrency	✓	✗	✗	✗
foreigntotalsales	Totalprice	✓	✓	✗	✗
foreignfreight	Freight	✓	✓	✗	✗
foreigninstallcharge	Installation	✓	✓	✗	✗
foreignmisccharge	Misc.Charges	✓	✓	✗	✗
foreignstatetax	State Tax	✓	✓	✗	✗
foreigntax1	Local 1	✓	✓	✗	✗
foreigntax2	Local 2	✓	✓	✗	✗
foreigntax3	Local 3	✓	✓	✗	✗
foreigntax4	Local 4	✓	✓	✗	✗
foreigntaxablesales	Taxable Sales	✓	✓	✗	✗
totallines	Qty.	✓	✓	✗	✗
totalallocated	totalallocated	✓	✓	✗	✗
totalassigned	totalassigned	✓	✓	✗	✗
totalbooked	Qty.	✓	✓	✗	✗
totalexchanged	totalexchanged	✗	✗	✗	✗
totalopen	Qty.	✓	✓	✗	✗
totalrmapending	totalrmapending	✗	✗	✗	✗
totalremoved	totalremoved	✗	✗	✗	✗

lastupdateamount	Unit Price	✓	✓	✗	✗
cvglcodeid	cvglcodeid	✓	✓	✗	✗
arinvoiceid	arinvoiceid	✗	✓	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
usedefined3	usedefined3	✓	✗	✗	✗
usedefined4	usedefined4	✓	✗	✗	✗
usedefined5	usedefined5	✓	✗	✗	✗
contactemail	Email	✓	✓	✓	✓
shiptoemail	Email	✓	✓	✓	✓
locatedatemail	Email	✓	✓	✓	✓

Table Name	appayment
Group	appayment

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
amount	Amount	×	✓	×	×
apglaccount	Account	×	✓	×	×
apinvoiceid	Id	×	✓	×	×
appaymentid	appaymentid	×	✓	×	×
appaymentno	appaymentno	×	×	×	×
apprepaymentid	apprepaymentid	×	✓	×	×
cashglaccount	Account	×	✓	×	×
checkdate	Check date	×	✓	×	×
checkno	Check	×	✓	×	×
cleared	cleared	×	×	×	×
cleareddate	Cleared Date	×	✓	×	×
currencycode	Currency	×	✓	×	×
conversionrate	conversionrate	×	×	×	×
cvcode	Vendor	×	✓	×	×
date	Date	×	✓	×	×
dateadded	dateadded	×	×	×	×
dateprinted	dateprinted	×	×	×	×
datevoided	Voided	×	✓	×	×
foreignamount	Payment	×	✓	×	×
isposted	isposted	×	×	×	×
voidedcomment	voidedcomment	×	×	×	×
paymenttype	Type	×	✓	×	×
posteddate	posteddate	×	×	×	×
ptid	ptid	×	×	×	×

Reference	Reference	×	✓	×	×
rep	Rep	×	✓	×	×
session	session	×	×	×	×
sessiondate	sessiondate	×	×	×	×
stid	stid	×	×	×	×
voidedsession	voidedsession	×	×	×	×
lastupdated	lastupdated	×	×	×	×
lastupdatedby	lastupdatedby	×	×	×	×

Table Name	apinvoicedetail
Group	apinvoicedetail

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
apinvoicedetailid	apinvoicedetailid	✓	✓	✗	✗
apinvoiceid	BillID	✓	✓	✗	✗
linenumber	Line	✓	✓	✗	✗
arinvoiceid	arinvoiceid	✗	✗	✗	✗
inventoryid	inventoryid	✓	✓	✗	✗
itemid	itemid	✓	✓	✗	✗
amount	Unitcost	✓	✓	✓	✓
foreignamount	Extendedcost	✓	✓	✓	✓
description	Description	✓	✓	✓	✓
extendeddescription	Extended Description	✓	✓	✓	✓
serialnumber	Serial Number	✓	✓	✓	✓
reference	Reference	✓	✓	✓	✓
glaccount	Account	✓	✓	✓	✗
woid	woid	✗	✗	✗	✗
ptid	PO	✓	✓	✓	✗
stid	SO	✓	✓	✓	✗
istaxable	Taxable	✓	✓	✓	✗
tax1cat	Local 1	✓	✓	✗	✗
tax1pct	Local 1	✓	✓	✗	✗
tax2cat	Local 2	✓	✓	✗	✗
tax2pct	Local 2	✓	✓	✗	✗
tax3cat	Local 3	✓	✓	✗	✗
tax3pct	Local 3	✓	✓	✗	✗
qty	Qty.	✓	✓	✗	✗

weight	weight	×	×	×	×
wghtkgs	wghtkgs	×	×	×	×
costbulk	costbulk	×	×	×	×
foreigncostbulk	foreigncostbulk	×	×	×	×
costwghtkgs	costwghtkgs	×	×	×	×
lastupdated	lastupdated	×	×	×	×
lastupdatedby	lastupdatedby	×	×	×	×
innerextendeddescription	innerextendeddescription	×	×	×	×

Table Name	attribvalue
Group	attribvalue

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
attribvalueid	attribvalueid	✓	✓	✓	✓
attribvaluedesc	attribvaluedesc	✓	✗	✓	✓
attribdefid	attribdefid	✓	✓	✓	✓
sort	sort	✓	✗	✓	✓

Table Name	arinvoicedetailhis
Group	arinvoicedetailhis

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
arinvoicedetailid	arinvoicedetailid	✓	✓	✗	✗
arinvoice	Invoice	✓	✓	✗	✗
line	Line	✓	✓	✗	✗
stdetailid	stdetailid	✓	✓	✗	✗
itemnumber	Item	✓	✓	✗	✗
itemid	itemid	✓	✓	✗	✗
unitprice	Unit Price	✓	✓	✗	✗
foreignunitprice	Unit Price	✓	✓	✗	✗
qty	Qty.	✓	✓	✗	✗
description	Description	✓	✓	✗	✗
extendeddescription	Extended Description	✓	✓	✗	✗
serialnumber	Serial Number	✓	✓	✗	✗
reference	Reference	✓	✓	✗	✗
glaccount	Account	✓	✓	✗	✗
ptid	PO	✓	✓	✗	✗
stid	SO	✓	✓	✗	✗
istaxable	Taxable	✓	✓	✗	✗
tax1cat	Local 1	✓	✓	✗	✗
tax1pct	Local 1	✓	✓	✗	✗
tax2cat	Local 2	✓	✓	✗	✗
tax2pct	Local 2	✓	✓	✗	✗
tax3cat	Local 3	✓	✓	✗	✗
tax3pct	Local 3	✓	✓	✗	✗
tax4cat	Local 4	✓	✓	✗	✗

tax4pct	Local 4	✓	✓	✗	✗
print	print	✓	✗	✗	✗
hastatetax	hastatetax	✓	✗	✗	✗
wghtkgs	wghtkgs	✓	✗	✗	✗
costbulk	costbulk	✓	✗	✗	✗
foreigncostbulk	foreigncostbulk	✓	✗	✗	✗
costwghtkgs	costwghtkgs	✓	✗	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
internalcomment	internalcomment	✓	✗	✗	✗
innerextendeddescription	innerextendeddescription	✓	✗	✗	✗

Table Name	arinvoicehis
Group	arinvoicehis

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
arinvoiceid	Invoice	X	✓	X	X
amount	Base Amount	X	✓	X	X
foreignamount	Amount	X	✓	X	X
cvcode	Client/Client Id	X	✓	X	X
date	Date	X	✓	X	X
rep	Rep	X	✓	X	X
stid	SO	X	✓	X	X
termsid	Terms	X	✓	X	X
ponumber	Client Purchase Number	X	✓	X	X
basecurrency	basecurrency	X	X	X	X
currencycode	Currency	X	✓	X	X
conversionrate	Rate	X	✓	X	X
earlyinvoice	Early Invoice	X	✓	X	X
isposted	isposted	X	X	X	X
istaxable	Taxable	X	✓	X	X
iscreditinvoice	iscreditinvoice	X	X	X	X
totalonly	totalonly	X	X	X	X
paidposted	Paid	X	✓	X	X
paidnonposted	paidnonposted	X	X	X	X
foreignpaidposted	Paid	X	✓	X	X
foreignpaidnonposted	foreignpaidnonposted	X	X	X	X
dateadded	dateadded	X	X	X	X
datevoided	Voided	X	✓	X	X
duedate	Due Date	X	✓	X	X

paidinfulldate	Paid In Full	X	✓	X	X
commissiondate	Paid In Full	X	✓	X	X
sessiondate	sessiondate	X	X	X	X
session	session	X	X	X	X
contactcontactid	contactcontactid	X	✓	X	X
contactname	Contact	X	✓	X	X
contactphone	Phone	X	✓	X	X
contactfax	Fax	X	✓	X	X
billtocontactid	billtocontactid	X	✓	X	X
billtocontactname	Contact	X	✓	X	X
billtocontactphone	Phone	X	✓	X	X
billtocontactfax	Fax	X	✓	X	X
shiptocontactid	shiptocontactid	X	X	X	X
shiptocontactname	Contact	X	✓	X	X
shiptocontactphone	Phone	X	✓	X	X
shiptocontactfax	Fax	X	✓	X	X
internalcomment	Internal Comments	X	✓	X	X
invoicecomment	Comments to Customer	X	✓	X	X
taxstate	Tax	✓	✓	X	X
statetaxpct	Tax	✓	✓	X	X
statetax	Tax	✓	✓	X	X
foreignstatetax	Tax	✓	✓	X	X
tax	Tax	✓	✓	X	X
tax1auth	Local 1	✓	✓	✓	X
tax1	Local 1	✓	✓	✓	X
foreigntax1	Local 1	✓	✓	✓	X
tax2auth	Local 2	✓	✓	✓	X
tax2	Local 2	✓	✓	✓	X

foreigntax2	Local 2	✓	✓	✓	✗
tax3auth	Local 3	✓	✓	✓	✗
tax3	Local 3	✓	✓	✓	✗
foreigntax3	Local 3	✓	✓	✓	✗
tax4auth	Local 4	✓	✓	✓	✗
tax4	Local 4	✓	✓	✓	✗
foreigntax4	Local 4	✓	✓	✓	✗
recadded	recadded	✓	✗	✗	✗
rectype	Type	✗	✓	✗	✗
commpif	commpif	✗	✗	✗	✗
lastupdated	lastupdated	✗	✗	✗	✗
lastupdatedby	lastupdatedby	✗	✗	✗	✗
contactemail	Email	✗	✓	✗	✗
shiptoemail	Email	✗	✓	✗	✗
billtoemail	Email	✗	✓	✗	✗

Table Name	attribdef
Group	attribdef

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
attribdefid	attribdefid	✓	✓	✗	✗
attribdefdesc	Description	✓	✓	✗	✗
attribcatid	attribcatid	✓	✓	✗	✗
sort	sort	✓	✗	✗	✗

Table Name	arpaymenthis
Group	arpaymenthis

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
amount	Amount	✓	✓	✗	✗
ardepositid	ardepositid	✓	✓	✗	✗
arglaccount	Account	✓	✓	✗	✗
arinvoiceid	Invoice	✓	✓	✗	✗
arpaymentid	arpaymentid	✓	✓	✗	✗
arpaymentno	arpaymentno	✓	✗	✗	✗
bankdepositcode	bankdepositcode	✓	✗	✗	✗
cashglaccount	Account	✓	✓	✗	✗
checkdate	Paid in full	✓	✓	✗	✗
checkno	Check	✓	✓	✗	✗
cleared	cleared	✓	✗	✗	✗
cleareddate	cleareddate	✓	✗	✗	✗
conversionrate	Rate	✓	✓	✗	✗
currencycode	Currency	✓	✓	✗	✗
cvcode	Cient/Client Id	✓	✓	✗	✗
date	Date	✓	✓	✗	✗
dateadded	dateadded	✓	✗	✗	✗
datevoided	datevoided	✓	✗	✗	✗
foreignamount	Amount	✓	✓	✗	✗
isposted	isposted	✓	✗	✗	✗
paymenttype	Type	✓	✓	✗	✗
ptid	PO	✓	✓	✗	✗
reference	Reference	✓	✓	✗	✗
rep	Rep	✓	✓	✗	✗

session	session	✓	✗	✗	✗
sessiondate	sessiondate	✓	✗	✗	✗
stid	SO	✓	✓	✗	✗
voidcomment	voidcomment	✓	✗	✗	✗
creditcardinfoid	creditcardinfoid	✓	✗	✗	✗
ccauthcode	ccauthcode	✓	✗	✗	✗
ccprocessfee	ccprocessfee	✓	✗	✗	✗
cctransactionid	cctransactionid	✓	✓	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗

Table Name	attribcat
Group	attribcat

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
attribcatid	attribcatid	✓	✓	✗	✗
attribcatdesc	Description	✓	✓	✗	✗
sort	sort	✓	✗	✗	✗

Table Name	shippingpackages
Group	shippingpackages

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
height	Height	×	✓	×	×
length	Length	×	✓	×	×
recadded	recadded	×	✓	×	×
shipdate	Shipped date	×	✓	×	×
shipmentid	Shipment ID	×	✓	×	×
shipped	shipped	×	×	×	×
shippinglogdetailid	shippinglogdetailid	✓	✓	×	×
shippinglogid	shippinglogid	✓	✓	×	×
trackingnumber	trackingnumber	×	✓	×	×
userid	userid	×	✓	×	×
weight	Weight	×	✓	×	×
width	Width	×	✓	×	×
packageypeid	packageypeid	✓	✓	×	×
declaredvalue	Dec.Value	×	✓	×	×
image	image	✓	×	×	×

Table Name	shippingitems
Group	shippingitems

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
shippeditemsid	ID	✗	✓	✗	✗
arinvoicedetailid	arinvoicedetailid	✗	✓	✗	✗
arinvoiceid	arinvoiceid	✗	✓	✗	✗
shipped	shipped	✓	✗	✗	✗
shippeddate	Shipped Date	✗	✓	✗	✗
shippinglogid	shippinglogid	✗	✓	✗	✗
shipcancel	shipcancel	✓	✗	✗	✗
shipstatus	Status	✗	✓	✗	✗
stdetailid	stdetailid	✗	✓	✗	✗
stid	SO	✗	✓	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗

Table Name	shippingaccounts
Group	shippingaccounts

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
id	Id	✓	✓	✗	✗
providerid	providerid	✓	✓	✗	✗
accountnumber	Account Number	✓	✓	✗	✗
accountnickname	Account Nick Name	✓	✓	✗	✗
cvcode	CV Code	✓	✓	✗	✗
isdefault	Set as Default	✓	✓	✗	✗
addedby	Rep	✓	✓	✗	✗
dateupdated	dateupdated	✓	✗	✗	✗
updatedby	updatedby	✓	✗	✗	✗
countryid	Country	✓	✓	✗	✗
postalcode	Postal Code	✓	✓	✗	✗

Table Name	inventoryhisbulkallocation
Group	inventoryhisbulkallocation

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
inventoryid	inventoryid	×	✓	×	×
allocatedqty	Qty.	×	✓	×	×
status	Status	×	✓	×	×
stid	stid	✓	✓	×	×
stline	Line	✓	✓	×	×
stdetailid	stdetailid	✓	×	×	×
dateallocated	Date	×	✓	×	×
allocatedby	Rep	×	✓	×	×
avgcost	Estimated Cost	×	✓	×	×
uniprice	Unit Price	×	✓	×	×
suppliermarginpct	suppliermarginpct	×	✓	×	×
suppliermargin	suppliermargin	×	✓	×	×

Table Name	inventorybulkallocation
Group	inventorybulkallocation

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
inventoryid	inventoryid	✓	✓	✗	✗
allocatedqty	Qty.	✓	✓	✗	✗
status	Status	✓	✓	✗	✗
stid	stid	✓	✓	✗	✗
stline	Line	✓	✓	✗	✗
stdetailid	stdetailid	✓	✓	✗	✗
dateallocated	Date	✓	✓	✗	✗
allocatedby	Rep	✓	✓	✗	✗
avgcost	Estimated Cost	✓	✓	✗	✗
uniprice	Unit Price	✓	✓	✗	✗
suppliermarginpct	suppliermarginpct	✗	✓	✗	✗
suppliermargin	suppliermargin	✗	✓	✗	✗

Table Name	apinvoicedetail
Group	apinvoicedetail

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
shippaymentssid	shippaymentssid	✓	✓	✗	✗
paymenttype	Payment Type	✓	✓	✗	✗
paymenttypecode	paymenttypecode	✓	✗	✗	✗
shippersid	shippersid	✓	✓	✗	✗
paymenttypecategory	paymenttypecategory	✓	✗	✗	✗
default	default	✗	✗	✗	✗

Table Name	shipments
Group	shipments

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
ptid	ptid	X	X	X	X
ptrep	ptrep	X	X	X	X
shippaymentscode	shippaymentscode	✓	X	X	X
servicetypecode	servicetypetype	X	X	X	X
shippersid	shippersid	✓	X	X	X
shippinglogid	shippinglogid	✓	✓	X	X
source	source	✓	X	X	X
systemfreightid	systemfreightid	X	✓	X	X
stid	SO	X	✓	X	X
cvcode	Company	X	✓	X	X
companyname	Company Name	X	✓	X	X
contactname	Contact Name	X	✓	X	X
address1	Address	X	✓	X	X
address2	Address	X	✓	X	X
address3	Address	X	✓	X	X
city	City	X	✓	X	X
state	State	X	✓	X	X
postalcode	Zip	X	✓	X	X
phone	Phone	X	✓	X	X
countrycode	Country	X	✓	X	X
fromcvcode	Company	X	✓	X	X
fromcompanyname	Company	X	✓	X	X
fromcontactname	Name	X	✓	X	X
fromaddress1	Address	X	✓	X	X

fromaddress2	Address	✗	✓	✗	✗
fromaddress3	Address	✗	✓	✗	✗
fromcity	City	✗	✓	✗	✗
fromstate	State	✗	✓	✗	✗
frompostalcode	Zip	✗	✓	✗	✗
fromphone	Phone	✗	✓	✗	✗
fromcountrycode	Country	✗	✓	✗	✗
cod	cod	✗	✗	✗	✗
codamount	codamount	✗	✗	✗	✗
fundstype	fundstype	✗	✗	✗	✗
isinternational	isinternational	✗	✗	✗	✗
notificationemail	Email Notification	✗	✓	✗	✗
numberofpackages	Pkgs	✗	✓	✗	✗
recadded	readded	✓	✗	✗	✗
shipperbyuserid	shipperbyuserid	✗	✗	✗	✗
residential	Residential	✗	✓	✗	✗
scheduledshipdate	Scheduled Date	✗	✓	✗	✗
servicetype	Service Type	✗	✓	✗	✗
shipdate	Ship date	✗	✓	✗	✗
shipmentid	Shipment Id	✗	✓	✗	✗
shippaymentsid	shippaymentsid	✗	✗	✗	✗
shippaymenttype	Payment type	✗	✓	✗	✗
shipped	shipped	✗	✓	✗	✗
shippername	Shipper Name	✗	✓	✗	✗
shippingcharges	Shipping Charges	✗	✓	✗	✗
shippingcomment	shippingcomment	✗	✗	✗	✗
shippingnotification	shippingnotification	✗	✗	✗	✗
shipcancel	Cancel Shipment	✗	✓	✗	✗

shipstatus	Status	✗	✓	✗	✗
deliverystatus	deliverystatus	✗	✓	✗	✗
strep	strep	✗	✗	✗	✗
userid	userid	✗	✗	✗	✗
woid	woid	✗	✗	✗	✗
purchasepacket	purchasepacket	✗	✗	✗	✗
declaredamount	declaredamount	✗	✗	✗	✗
addfreighttoinvoice	addfreighttoinvoice	✗	✗	✗	✗
blinddropship	blinddropship	✗	✗	✗	✗
accountcharges	accountcharges	✗	✗	✗	✗
upsaccountchargeno	upsaccountchargeno	✗	✗	✗	✗
fedexaccountchargeno	fedexaccountchargeno	✗	✗	✗	✗
dhlaccountchargeno	dhlaccountchargeno	✗	✗	✗	✗
warehouse	warehouse	✗	✓	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
othermailnotificatio	Emails	✗	✓	✗	✗
fax	fax	✗	✗	✗	✗
email	email	✗	✗	✗	✗
fromfax	fromfax	✗	✗	✗	✗
fromemail	fromemail	✗	✗	✗	✗

Table Name	ardeposit
Group	ardeposit

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
amount	Amount	✗	✓	✗	✗
ardepositid	ardepositid	✓	✓	✗	✗
arpaymentid	arpaymentid	✓	✓	✗	✗
bankdepositcode	Journal Code	✗	✓	✗	✗
cashglaccount	Cash Account	✗	✓	✗	✗
checkno	Check	✗	✓	✗	✗
cleared	cleared	✗	✗	✗	✗
cleareddate	cleareddate	✗	✗	✗	✗
conversionrate	Rate	✓	✗	✗	✗
currencycode	Currency	✗	✓	✗	✗
cvcode	Client Id	✗	✓	✗	✗
date	Date	✗	✓	✗	✗
dateadded	Date	✗	✓	✗	✗
datevoided	Voided	✗	✓	✗	✗
foreignamount	Amount	✗	✓	✗	✗
isposted	isposted	✗	✗	✗	✗
paymenttype	Type	✗	✓	✗	✗
rectype	rectype	✗	✗	✗	✗
reference	Reference	✗	✓	✗	✗
rep	Rep	✗	✓	✗	✗
session	session	✗	✗	✗	✗
sessiondate	sessiondate	✗	✗	✗	✗
stid	SO	✗	✓	✗	✗
voidedcomment	Void Comments	✗	✓	✗	✗

creditcardinfoid	creditcardinfoid	×	×	×	×
ccauthcode	ccauthcode	×	×	×	×
ccprocessfee	ccprocessfee	×	×	×	×
cctransactionid	cctransactionid	×	×	×	×
lastupdated	lastupdated	✓	×	×	×
lastupdatedby	lastupdatedby	✓	×	×	×

Table Name	arpayment
Group	arpayment

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
amount	Amount	X	✓	X	X
ardepositid	ardepositid	X	✓	X	X
arglaccount	Account	X	✓	X	X
arinvoiceid	Invoice	X	✓	X	X
arpaymentid	arpaymentid	X	✓	X	X
arpaymentno	arpaymentno	X	X	X	X
bankdepositcode	bankdepositcode	X	X	X	X
cashglaccount	Account	X	✓	X	X
checkdate	Paid in full	X	✓	X	X
checkno	Check	X	✓	X	X
cleared	cleared	X	X	X	X
cleareddate	cleareddate	X	X	X	X
conversionrate	Rate	X	✓	X	X
currencycode	Currency	X	✓	X	X
cvcode	Cient/Client Id	X	✓	X	X
date	Date	✓	✓	✓	X
dateadded	dateadded	✓	X	X	X
datevoided	datevoided	X	X	X	X
foreignamount	Amount	✓	✓	X	X
isposted	isposted	X	X	X	X
paymenttype	Type	✓	✓	X	X
ptid	PO	X	✓	X	X
reference	Reference	✓	✓	✓	✓
rep	Rep	X	✓	X	X

session	session	✓	✗	✗	✗
sessiondate	sessiondate	✓	✗	✗	✗
stid	SO	✗	✓	✗	✗
voidcomment	voidcomment	✗	✗	✗	✗
creditcardinfoid	creditcardinfoid	✗	✗	✗	✗
ccauthcode	ccauthcode	✗	✗	✗	✗
ccprocessfee	ccprocessfee	✗	✗	✗	✗
cctransactionid	cctransactionid	✗	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗

Table Name	arinvoicedetail
Group	arinvoicedetail

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
arinvoicedetailid	arinvoicedetailid	✓	✓	✗	✗
arinvoice	Invoice	✓	✓	✗	✗
line	Line	✓	✓	✗	✗
stdetailid	stdetailid	✓	✓	✗	✗
itemnumber	Item	✗	✓	✗	✗
itemid	itemid	✓	✓	✗	✗
unitprice	Unit Price	✓	✓	✓	✗
foreignunitprice	Unit Price	✓	✓	✓	✗
qty	Qty.	✓	✓	✓	✗
description	Description	✓	✓	✓	✓
extendeddescription	Extended Description	✓	✓	✓	✓
serialnumber	Serial Number	✓	✓	✗	✗
reference	Reference	✓	✓	✓	✓
glaccount	Account	✗	✓	✗	✗
ptid	PO	✗	✓	✓	✗
stid	SO	✗	✓	✓	✗
istaxable	Taxable	✓	✓	✓	✗
tax1cat	Local 1	✓	✓	✓	✗
tax1pct	Local 1	✓	✓	✓	✗
tax2cat	Local 2	✓	✓	✓	✗
tax2pct	Local 2	✓	✓	✓	✗
tax3cat	Local 3	✓	✓	✓	✗
tax3pct	Local 3	✓	✓	✓	✗
tax4cat	Local 4	✓	✓	✓	✗

tax4pct	Local 4	✓	✓	✓	✗
print	print	✗	✗	✗	✗
hastatetax	hastatetax	✓	✗	✗	✗
wghtkgs	wghtkgs	✗	✗	✗	✗
costbulk	costbulk	✗	✗	✗	✗
foreigncostbulk	foreigncostbulk	✗	✗	✗	✗
costwghtkgs	costwghtkgs	✗	✗	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
internalcomment	internalcomment	✓	✗	✗	✗
innerextendeddescrip	innerextendeddescriptio	✓	✗	✗	✗

Table Name	apinvoice
Group	APIInvoices/Bills

Table Field Names	Exposed Field Names	CREATE	READ	UPDATE	DELETE
apinvoiceid	billid	✓	✓	✗	✗
amount	amount	✓	✓	✓	✓
foreignamount	foreignamount	✓	✓	✗	✗
cvcode	CVcode	✓	✓	✓	✓
date	date	✓	✓	✓	✗
rep	rep	✓	✓	✓	✗
ptid	purchaseld	✓	✓	✗	✗
termsid	termsid	✓	✓	✗	✗
invoicenumbe	reference	✓	✓	✓	✗
vendorinvoicenumbe	vendorbill	✓	✓	✗	✗
basecurrency	basecurrency	✓	✓	✗	✗
currencycode	currency	✓	✓	✗	✗
conversionrate	conversionrate	✓	✓	✗	✗
isposted	isposted	✗	✗	✗	✗
istaxable	taxable	✓	✓	✗	✗
totalonly	totalonly	✗	✗	✗	✗
paidposted	paidposted	✗	✗	✗	✗
paidnonposted	paidnonposted	✗	✗	✗	✗
foreignpaidposted	foreignpaidposted	✗	✗	✗	✗
foreignpaidnonposted	foreignpaidnonposted	✗	✗	✗	✗
dateadded	date	✓	✓	✓	✗
datevoided	voided	✗	✓	✗	✗
duedate	duedate	✓	✓	✓	✗
paidinfulldate	paidinfulldate	✓	✓	✗	✗

sessiondate	sessiondate	✓	✓	✗	✗
session	session	✓	✓	✗	✗
contactcontactid	contactid	✓	✓	✗	✗
contactcontact	contact	✓	✓	✓	✓
contactphone	phone	✓	✓	✓	✓
contactfax	fax	✓	✓	✓	✓
remittocontactid	remittocontactid	✓	✓	✗	✗
remittoname	Contact	✓	✓	✓	✓
remittohone	phone	✓	✓	✓	✓
remittofax	fax	✓	✓	✓	✓
shiptocontactid	shiptocontactid	✓	✓	✗	✗
shiptoname	contact	✓	✓	✓	✓
shiptophone	phone	✓	✓	✓	✓
shiptofax	fax	✓	✓	✓	✓
arinvoiceid	arinvoiceid	✗	✗	✗	✗
arpaymentid	arpaymentid	✗	✗	✗	✗
internalcomment	internalcomments	✓	✓	✓	✓
invoicecomment	commentstovendor	✓	✓	✓	✓
taxstate	tax	✓	✓	✓	✓
statetaxpct	statetaxpct	✓	✓	✗	✗
statetax	statetax	✓	✓	✗	✗
foreignstatetax	foreignstatax	✓	✓	✗	✗
tax	tax	✓	✓	✗	✗
tax1auth	tax1auth	✓	✓	✗	✗
tax1	tax1	✓	✓	✗	✗
foreigntax1	foreigntax1	✓	✓	✗	✗
tax2auth	foreigntax2	✓	✓	✗	✗
tax2	tax2	✓	✓	✗	✗

foreigntax2	foreigntax2	✓	✓	✗	✗
tax3auth	tax3auth	✓	✓	✗	✗
tax3	tax3	✓	✓	✗	✗
foreigntax3	foreigntax3	✓	✓	✗	✗
tax4auth	tax4auth	✓	✓	✗	✗
tax4	tax4	✓	✓	✗	✗
foreigntax4	foreigntax4	✓	✓	✗	✗
autopayment	autopayment	✓	✓	✗	✗
recadded	recadded	✓	✓	✓	✓
taxoverrideflag	taxoverrideflag	✓	✓	✓	✓
originalstatetax	tax	✓	✓	✗	✗
originalforeignstate	originalforeignstate	✓	✓	✗	✗
invreccdate	invreccdate	✗	✗	✗	✗
isaccrual	isaccrual	✗	✗	✗	✗
isposted	isposted	✗	✗	✗	✗
lastupdated	lastupdated	✓	✗	✗	✗
lastupdatedby	lastupdatedby	✓	✗	✗	✗
contactemail	email	✓	✓	✓	✓
remittoemail	email	✓	✓	✓	✓
shiptoemail	email	✓	✓	✓	✓